LARG Field Day Safety Checklist – 2017

[DRAFT! Version 0.6 - 15 May 2017]

[Name TBD] – [Callsign TBD] – Lead Safety Officer – C-[Cellphone TBD] [Need On Site Guy!]
[Name TBD] – [Callsign TBD] – Asst. Safety Officer – [Cellphone TBD] [TBD 2017?]
[Name TBD] – [Callsign TBD] – Asst. Safety Officer – [Cellphone TBD] [TBD 2017?]
[Name TBD] – [Callsign TBD] – More Assistant Safety Officers Welcome! [TBD 2017?]
Gene Harrison – N3EV – Safety Officer Coordinator – C-703-XXX-XXXX [Sorry, on travel on FD!]

BACKGROUND:

- * This checklist provides reminders and handy guidance for ensuring a safe LARG FD event!
- * Please read & heed!
- * Bonus!! ARRL awards LARG 100 points for active Safety Officers, from beginning to end!
- * Also, this list supports completion of the official ARRL FD SO Checklist, which will be included with the LARG FD documentation. >> Safety & 100 points!! :-)

PRINCIPLES:

- * <u>Everybody</u> at the LARG FD is responsible for <u>staying alert</u> and <u>ensuring safety</u>, for themselves, their family and friends, and any visitors and guests.
- * The Safety Officer Team plans to cruise during the event and will be there to assist and advise.
- * If you spot a hazard, please *fix it* fast, if you can! If you need help, please ask! Plus *advise us*?
- * Your diligence and constructive suggestions are always welcome!
- * And please help us improve this checklist, and be safer in the future, too!
- * Please send suggestions to Gene N3EV on 703-XXX-XXXX or at N3EV@arrl.net. TNX!

REFERENCES:

* Based on the <u>ARRL Field Day Safety Officer Checklist 2017 v2</u>. (*Required* elements *plus essential upgrades* are highlighted in <u>YELLOW</u>).

SAFETY RESOURCES (&Sources):

- * **The Guidance:** <u>This</u> LARG Field Day Safety Officer Checklist (free copies for everyone!).
- * **Contacts:** Lists of *LARG participants* Safety Support Personnel, including Safety Officers, persons trained/experienced in First Aid, CPR, AED, plus (hopefully) First Responders, Advance Life Support, Fire Fighters, as available. (See *LARG Safety Skill Sign-up List*)
- * **Medical:** First Aid Kit(s), CPR & AED (if able?) gear, sun burn, insect sting, water, ice & ziplock bags, etc. FA, Medical & First Responders. (Multiple sources) [WANT to borrow AED??]
- * **Public Safety:** Land-line & cellphones, plus contact information for calling EOC (911) & guiding fire/rescue/police. (Multiple sources. Read info below in Safety Checklist)
- * **Operational Safety:** Fire Extinguishers, grounding & bonding systems, barrier & flagging tapes, gloves & helmets (for towers), headlamps & flashlights (night), etc. (Multiple sources)
- * Weather: NWS weather alert receiver. (Gene N3EV)
- * Comms: On Duty Safety Officer cellphone. (See SO List Each BYO Cellphone)

I N D E X	SAFETY CRITERIA & CONSIDERATIONS	1 = 80 to 10 C W	С	3 = 75 & 20 P H	40 P	O T	F O O D & F A	S U M M A R
1	Fuel for generator properly stored. (See also 1G-Generators & 2-Extinguishers.) * Use only marked & fuel-approved containers, preferably with automatic shutoff spouts (spring loaded). * Locate fuels upwind of generators, toward but downwind of Stations, and well away from people, facilities and flammable materials. * With barrier or flagging tapes, establish a clearly marked "fuel zone". * A non-flammable sun & weather shelter is good. * Keep fire extinguisher near the Station (not the fuel!) and upwind!							
1 G	Generators & Electric Power Distribution. (See also 1-Fuels & 2-Extinguishers.) * Locate generators well downwind of both fuels and Stations (and fire extinguishers!), and well away from people, facilities and flammable materials, preferably at distant end of long cords. * With barrier or flagging tapes, establish a clearly marked "generator zone". * A non-flammable sun and weather shelter is good, especially as a noise barrier. * For safety, generators are isolated & not grounded. * Extension cords are wrapped low and anchored at generator, then looped into sockets, for strain relief and continuity. * Gather & route cables neatly, well away from people movement lanes & areas, & clearly mark with parallel barrier or frequent flagging tapes. * Include circuit breaker power strips. * Surge arrestors, and especially GFCIs are better!							
2	Fire extinguisher on hand and appropriately located. (See also 1-Fuels & 1G-Generators) * Use only UL approved fire extinguishers. * Minimum: 2 pound Type BC (or ABC?) dry chemical. * Better! 5 pound Type BC carbon dioxide (CO2). * Keep fire extinguisher near the Station (not the fuel!). * Remember, keep extinguishers upwind of fuels and generators! (Note – Most "dry chemical" units are OK for fuels & generators. But ABC types typically use mono-ammonium phosphate, which is very corrosive and will destroy your electronics!! For your precious Ham gear, get a less corrosive BC sodium-bicarbonate, or best a BC non-corrosive "Purple K" or CO2 unit.)							
3	First Aid kit on hand. (See also 4, 11, 12) * The designated First Aid Station is the Food Tent. * Only basic gear includes a First Aid Kit, plus (as available) modest support (cots, chairs & tables, shade & shelter, water & snacks, etc).							

I N D E X	SAFETY CRITERIA & CONSIDERATIONS	to 10 C	2 = 40 C W	3 = 75 & 20 P H	40 P	G O T	& F	M M A R
	* If feasible, additional gear & skills (CPR, AED, BLS, ALS) will be provided or available on site. * The FA Station is staffed "On Call" as needed. * For true emergencies, dial 911. Lovettsville Volunteer Fire & Rescue is 10 minutes away! (See 11 & 12 below.) *							
4	First Aid, CPR and AED trained participants on site for full Field Day period. (See also 3, 11, 12) * See Personnel Roster for FA & Medical skills & gear. * Expect most FA, Medical & First Responders in LARG to be Hams dispersed on site and busy making contacts! * The FA Station is staffed "On Call" as needed. * Skills include only Basic First Aid, plus CPR & AED if possible. * If feasible, additional gear & skills (CPR, AED, BLS, ALS) will be provided or available on site. * For true emergencies, dial 911. Lovettsville Volunteer Fire & Rescue is 10 minutes away! (See 11 & 12 below.)							
5	* Foul weather events, especially thunderstorms, are of great concern and must be expected and planned. * An NWS Weather Alert Receiver will be stationed at the Food Tent, or GOTA or other continuously manned location. * In event of a local Alert, whomever hears it should Please take notes of the incident & times, and promptly contact the SO. * And if necessary advise and warn all Stations and personnel on site. * All personnel on site should pragmatically and promptly protect themselves, plus their Stations & gear. (See 10 below)							
6	Tent stakes properly installed and marked. (See also 7, 8, 9) * Locate Stations & tents within easy <u>view</u> and <u>close</u> & <u>safe access</u> from people movement lanes & areas. * [LARG] Tents and guy wires <u>must</u> be located at least <u>ten feet</u> away from any permanent structure. * Stakes & guy lines must be <u>clearly marked</u> with parallel <u>barrier</u> or frequent <u>flagging</u> tapes. * Include all <u>stakes</u> , plus along <u>lines</u> to at least <u>6 feet up</u> .							
7	Temporary antenna structures properly secured and marked. (See also 6, 8, 9) * Locate antenna masts & towers <u>near</u> their Stations, but well <u>away</u> from people movement lanes & areas. * [LARG] Masts, towers, and guy wires <u>must</u> be located at least <u>ten feet</u>							

I N D E X	SAFETY CRITERIA & CONSIDERATIONS	1 = 80 to 10 C	С		& F	F D S I T E	A R
	away from any permanent structure. * [LARG] AB577 telescoping towers are great but <a &="" *<="" areas.="" away="" from="" href="https://max.oren.oren.oren.oren.oren.oren.oren.oren</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>8</th><th>* Especially consider visibility in weather or darkness! * Relocate and/or prevent placement of any objects or tripping hazards within or near people movement lanes or areas. * If feasible, clearly mark any hazards, or at least key portions, with barrier & flagging tapes, traffic cones, parked vehicles, or other means. * Stakes & guy lines must be clearly marked with parallel barrier or frequent flagging tapes. * Include all stakes, plus along lines to at least 6 feet up. * Gather & route cables neatly, well away from people movement lanes & areas, & clearly mark with parallel barrier or frequent flagging tapes. * With barrier or flagging tapes, establish clearly marked fuel, generator, and tower " lanes="" movement="" people="" th="" well="" zones",=""><th></th><th></th><th></th><th></th><th></th><th></th>						
9	Site is set up in a neat and orderly manner to reduce hazards. (See also 6, 7, 8) * Locate Stations & tents within easy view and close & safe access from people movement lanes & areas. * [LARG] Respect our W5ODJ Host! Masts, towers, tents & guy wires must be located at least ten feet away from any permanent structure. * Assess likely routes and flows of persons within the FD site, including Stations, Food & GOTA, parking, etc. * Include LARG & experienced persons, visitors and inexperienced persons, and especially children. * Especially consider visibility in weather or darkness! * As suitable, establish recommended lanes or areas along the						

I N D E X	SAFETY CRITERIA & CONSIDERATIONS	1 = 80 to 10 C	2 = 40 C W	3 = 75 & 20 P H	40 P	G	& F	F D S I T E	S U M M A R Y
	driveway, to the Stations & Food & GOTA, etc. * Relocate and/or prevent placement of any objects or tripping hazards within or near these people movement lanes or areas. * If feasible, clearly mark these lanes or areas, or at least key portions, with barrier and flagging tapes, traffic cones, parked vehicles, and/or other means. * Stakes & guy lines must be clearly marked with parallel barrier or frequent flagging tapes. * Include all stakes, plus along lines to at least 6 feet up. * Gather & route cables neatly, well away from people movement lanes & areas, & clearly mark with parallel barrier or frequent flagging tapes. * With barrier or flagging tapes, establish clearly marked fuel, generator, and tower "zones", well away from people movement lanes & areas. *								
10	* Use a ground stake as each station's single point ground. * Connect major gear (transceivers, amplifiers, power supplies, surge arrestors for antenna cables or power, etc). Use heavy braid or wire. * In event of nearby thunderstorms, disconnect antenna cables from radios & gear and set aside. (See 5 above) * Likewise disconnect long power cables from gear, too. * If able, protect connectors with zip-lock bags & tape. * Shut down radios & gear. * Protect your Team and take shelter. Houses & cars are good! *								
11	Access to means to contact police/fire/rescue if needed. (See also 3, 4, 12) * EMERGENCY - Dial 911. * Non Emergency - 703-777-1022 * Location: 38668 Sierra Lane, Lovettesville, VA. * Directions: From Lovettsville Fire Company 12, turn right (South) on Rt 287, go 1.8 miles, turn right (West) on Sierra Lane, go 0.4 mile to end, turn right and look for Safety Guides. * If you need them fast, call them! * And Please call the SO soonest, if not before? * Be sure that SO or somebody meets the Responders when they arrive at the corner at the road, and directs them to the incident or patient! * Have somebody take notes & times, too. * First & top priority - ensure patients are treated!! *								
12	Safety Officer is designated point of contact for public safety officials. (See also 3, 4, 11, 14) * See Personnel Roster for Safety Officers & duty times. * The Safety Officers plan to meet with any Public Safety personnel, in								

I N D E X	SAFETY CRITERIA & CONSIDERATIONS	1 = 80 to 10 C	2 = 40 C W	3 = 75 & 20 P H	4 = 40 P H	G O T A	F O D & F A	I T	S U M M A R
	event of any incident, and also to welcome them to the FD activities. * In event of an incident, the SO may <u>request your assistance</u> to guide or assist First Responders, etc. *								
13	Minimize risks and control hazards to ensure no injuries to public. * A preliminary informal Risk Assessment has been conducted, based on previous events, plus inputs from several experienced participants. * Most issues are already included in and addressed by this checklist. * All personnel are urged to make suitable observations, and contribute constructive suggestions, to improve FD safety! *								
	Safety Officer or a qualified designated assistant was on site for the duration of the event. (See also 12) * See Personnel Roster for Safety Officers & duty times. * On Duty Safety Officer: C-703-XXX-XXXX (Duty Token) [TBD 2017?] *** [This floating Duty SO phone is loaned by Gene N3EV, just for FD] * Lead SO: [Name TBD], [Callsign TBD], C-[Cellphone TBD] * Asst SO: [Name TBD], [Callsign TBD], C-[Cellphone TBD] * Asst SO: [Name TBD], [Callsign TBD], C-[Cellphone TBD] * Coordinator: Gene Harrison, N3EV, C-XXX-XXXX [TBD 2017?]								
15	*** Serry Cone Native on travel & not able to help at Field Down (i.e.) **As necessary, monitoring participants for hydration and ensures an adequate water supply is available. * Water is available at the Food Tent, including bottles. * All personnel are responsible for their own welfare, including safety, water & food, personal protection & gear * Station operators should monitor their Team, especially during those intense contact QSO runs!								
16	Documentation. [Added] * Everybody! Please take <u>photos</u> & <u>notes</u> of not only safety issues, but also good ideas and solutions for operations, training & publicity! *								
17	*								
18	* *								

-end-